ELSEVIER

Journal of Materials Processing Technology 145 (2004) 407

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 145

Abdullah, A., 46
Abrão, A.M., 397
Alexander, R., 59
Ambari, A., 352
Aoura, Y., 352

Balendra, R., 143, 144, 153, 163, 171, 180, 189, 207, 215, 224, 233, 242, 247, 256
Bayoumi, L.S., 7
Bayraktar, E., 27
Benavente, B., 371
Buirette, C., 27

Carrasco, C., 371
Chang, P.-H., 325
Chaudhury, S.K., 385
Chen, M., 99
Chen, X., 215
Chodnikiewicz, K., 171, 207
Choudhury, I.A., 84
Clegg, A.J., 134

Date, P.P., 269
de Barcellos, C.S., 397
de F. Souza, L.P., 14
Duszczyk, J., 360
Dutta, I., 99

Elting, S., 46
Enquist, B., 72

Feng, X., 93

George, P.M., 66
Ghani, J.A., 84
Ghosh, A.K., 281
Grumbach, M., 27

Han, Z.-W., 311
Hassan, H.H., 84
Ho, C.Y., 303
Holmberg, S., 72

Ibrahim, R.N., 118

Jahn, R., 40
Jain, N., 59
Jiang, Q., 233
Jiang, Y., 264

Kaplan, D., 27
Kerezsi, B.B., 118
Kotnis, M., 126

Le, H.R., 391
Lee, Y., 7
Li, D., 281
Li, L., 360
Li, Y., 294
Liu, C., 311
Liu, M., 276
Liu, P., 294
Lu, C., 336
Lu, W.-P., 311
Lu, X., 224, 256

Maiti, S.K., 269
Manocha, L.M., 66
Mansur, H.S., 14
Mashhadi, M.M., 21
Matin, P.H., 21
Matsumura, S., 299
Melkote, S., 126

Narasimhan, K., 269
Noordin, M.Y., 46

Ollivier, D., 352

Panigrahi, S.C., 385
Parsa, M.H., 21
Peng, X., 180, 224, 256
Peng, Y., 1
Peterson, K.A., 99
Price, J.W.H., 118

Qin, Y., 143, 144, 153, 163, 171, 189, 215, 233, 242, 247, 256

Raghunath, B.K., 66
Ren, L.-Q., 311
Rocha, C.A., 397
Rosochowska, M., 207
Rosochowski, A., 264
Ruan, X., 1

Sales, W.F., 397
Santo, P.D., 352
Segers, L., 371
Sharif, S., 46
Shuhui, L., 93
Singh, U.P., 269
Sivaramakrishnan, C.S., 385
Sklad, M.P., 377
Sutcliffe, M.P.F., 391

Takagi, J.-i., 276
Tekiner, Z., 109
Teng, T.-L., 325
Thilderkvist, P., 72
Tomori, T., 126
Tong, J., 311
Truckenbrodt, H., 40
Tsukuda, A., 276

Venkatesh, V.C., 46
Vergara, V., 371

Wang, H., 299
Wang, J., 59, 294
Wang, Q., 336
Wang, X., 264
Wang, X.-Y., 345
Wang, Z.-J., 345
Wang, Z.-R., 345
Warrier, A.M., 66
Wei, Y., 233
Weili, X., 93
Wen, M.Y., 303
Wu, H., 294
Wu, J., 242

Xuesheng, C., 247

Yang, Y., 264
Yao, S., 299
Yong, M.S., 134
Young, W.-B., 317

Zhang, X., 1
Zhongqin, L., 93
Zhou, J., 360

Elsevier B.V.
doi:10.1016/S0924-0136(04)00017-2

ELSEVIER

Journal of Materials Processing Technology 145 (2004) 408–412

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 145

Air bending tool
Numerical simulation of the influence of air bending tool geometry on product quality, 269
7475 Al alloy
Determination of material parameters for 7475 Al alloy from bulge forming tests at constant stress, 352
Al–2Mg–TiO_2 composite
A new spray forming technique for the preparation of aluminium rutile (TiO_2) ex situ particle composite, 385
Aluminium alloy
Biaxial warm forming behavior of aluminum sheet alloys, 281
Prediction of temperature evolution during the extrusion of 7075 aluminium alloy at various ram speeds by means of 3D FEM simulation, 360
Aluminum
Processing and characterization of diffusion-bonded Al–Si interfaces, 99
Analysis of variance
EDM machining of carbon–carbon composite—a Taguchi approach, 66

Bearing life
FE analysis of a novel roller form: a deep end-cavity roller for roller-type bearings, 233
Bending
An experimental study on the examination of springback of sheet metals with several thicknesses and properties in bending dies, 109
Bending dies
An experimental study on the examination of springback of sheet metals with several thicknesses and properties in bending dies, 109
Blank holder force
Viscous pressure forming (VPF) of corrugated thin-walled sheet part with small radius, 345
Blanking
Research dedicated to the development of advanced metal-forming technologies, 144
FE simulation of the blanking of electrically heated engineering materials, 224

Carbon–carbon composite
EDM machining of carbon–carbon composite—a Taguchi approach, 66
Cast camshafts
Mechanism of "black line" formation in chilled cast iron camshafts, 264
Casting defects
Mechanism of "black line" formation in chilled cast iron camshafts, 264
Casting simulation
Mechanism of "black line" formation in chilled cast iron camshafts, 264
CGA
Aspects of automated measurement of proportional and non-proportional deformation in sheet metal forming, 377
Characterization
Processing and characterization of diffusion-bonded Al–Si interfaces, 99
Chilled cast iron
Mechanism of "black line" formation in chilled cast iron camshafts, 264
Coated carbide
Application of response surface methodology in describing the performance of coated carbide tools when turning AISI 1045 steel, 46
Cold forging
A web-based cold forging process generation system, 1
A new approach for the optimisation of the shrink-fitting of cold-forging dies, 215
Combustion engines
Evaluation of the wear mechanisms and surface parameters when machining internal combustion engine valve seats using PCBN tools, 397
Component-form
Design considerations for hydromechanical deep drawing of sheet components with concave features, 163
Composite coatings
Electrochemical preparation and characterization of Ni/SiC gradient deposit, 299
Composite powder
Preparation of ultrafine polypropylene/iron composite powders through pan-milling, 336
Computer simulation
Prediction of temperature evolution during the extrusion of 7075 aluminium alloy at various ram speeds by means of 3D FEM simulation, 360
Constitutive model
Application of a physically based constitutive model to metal forming analysis, 180
Contact mechanics
FE analysis of a novel roller form: a deep end-cavity roller for roller-type bearings, 233
Corrugated thin-walled sheet part
Viscous pressure forming (VPF) of corrugated thin-walled sheet part with small radius, 345
Counter pressure
Finite element analysis of dual hydroforming processes, 59
Design considerations for hydromechanical deep drawing of sheet components with concave features, 163
Crack initiation
Using *S–N* curves to analyse cracking due to repeated thermal shock, 118

Deep drawing
Improvement of initial blank shape for intricate products using slip line field, 21
Design optimisation
A new approach for the optimisation of the shrink-fitting of cold-forging dies, 215

Elsevier B.V.
doi:10.1016/S0924-0136(04)00018-4

Die/tool design
A new approach for the optimisation of the shrink-fitting of cold-forging dies, 215
Diffusion bonding
Processing and characterization of diffusion-bonded Al–Si interfaces, 99
Drawing
Biaxial warm forming behavior of aluminum sheet alloys, 281
Dual hydroforming
Finite element analysis of dual hydroforming processes, 59

Edge stress
FE analysis of a novel roller form: a deep end-cavity roller for roller-type bearings, 233
Elasto-plastic FEM
Study on the influences of geometrical parameters on the formability of stretch curved flanging by numerical simulation, 93
Elastoplasticity
Application of a physically based constitutive model to metal forming analysis, 180
Electrical heating
FE simulation of the blanking of electrically heated engineering materials, 224
Electrical resistivity
A new spray forming technique for the preparation of aluminium rutile (TiO_2) ex situ particle composite, 385
Electrode wear rate
EDM machining of carbon–carbon composite—a Taguchi approach, 66
Electrodeposition
Electrochemical preparation and characterization of Ni/SiC gradient deposit, 299
Electro-discharge machining
EDM machining of carbon–carbon composite—a Taguchi approach, 66
ERW pipe
Experimental investigation and theoretical analysis of roll forming of electrical resistance welded pipes, 311
Ex situ
A new spray forming technique for the preparation of aluminium rutile (TiO_2) ex situ particle composite, 385
Extrusion
Injection forging: engineering and research, 189
Prediction of temperature evolution during the extrusion of 7075 aluminium alloy at various ram speeds by means of 3D FEM simulation, 360

Fatigue crack initiation life
Effect of residual stresses on fatigue crack initiation life for butt-welded joints, 325
FE simulation
FE simulation of the blanking of electrically heated engineering materials, 224
A study on the forming limits of the hydromechanical deep drawing of components with stepped geometries, 242
Development of a statistical parameter-based surface model for the simulation of variation of surface roughness with contact pressure, 247
FE simulation of laser-aided stamping, 256
Determination of material parameters for 7475 Al alloy from bulge forming tests at constant stress, 352
FEA
Finite element modelling of the evolution of surface pits in metal forming processes, 391
Fe_3Al/Q235 diffusion-welded joint
Microstructure and performance in diffusion-welded joints of Fe_3Al/Q235 carbon steel, 294
FGM
Electrochemical preparation and characterization of Ni/SiC gradient deposit, 299
Finite element analysis
FE analysis of a novel roller form: a deep end-cavity roller for roller-type bearings, 233
Finite strip method
Experimental investigation and theoretical analysis of roll forming of electrical resistance welded pipes, 311
FLC
Aspects of automated measurement of proportional and non-proportional deformation in sheet metal forming, 377
Forging
An approach for the forming of large-thickness-flange components by injection forging, 153
Formability
Study on the influences of geometrical parameters on the formability of stretch curved flanging by numerical simulation, 93
Biaxial warm forming behavior of aluminum sheet alloys, 281
Form-error
Analysis of temperature and component form-error variation with the manufacturing cycle during the forward extrusion of components, 171
Forming defects
An approach for the forming of large-thickness-flange components by injection forging, 153
Forming limit
Evaluation of sheet metal formability by tensile tests, 72
A study on the forming limits of the hydromechanical deep drawing of components with stepped geometries, 242
Forming limit diagram
Biaxial warm forming behavior of aluminum sheet alloys, 281
Forward extrusion
Analysis of temperature and component form-error variation with the manufacturing cycle during the forward extrusion of components, 171
Fractals
A simple fractal analysis method of the surface roughness, 40
Fracture
Study on the influences of geometrical parameters on the formability of stretch curved flanging by numerical simulation, 93
Fresnel absorption
Distribution of the intensity absorbed by the keyhole wall in laser processing, 303

Gap voltage
EDM machining of carbon–carbon composite—a Taguchi approach, 66
Grain refinement
Process optimisation for a squeeze cast magnesium alloy, 134
Grain size
Investigation of strength degradation and strength recovery via short time heating for ground alumina ceramics with different grain size, 276
Ground ceramics
Investigation of strength degradation and strength recovery via short time heating for ground alumina ceramics with different grain size, 276

Hardened steel AISI H13
Application of Taguchi method in the optimization of end milling parameters, 84
Heat transfer across tool materials
A new method of measuring thermal contact conductance, 207
High speed end milling
Application of Taguchi method in the optimization of end milling parameters, 84

High-precision forming
Research dedicated to the development of advanced metal-forming technologies, 144
Hydromechanical deep drawing
Design considerations for hydromechanical deep drawing of sheet components with concave features, 163
A study on the forming limits of the hydromechanical deep drawing of components with stepped geometries, 242

Impact tensile testing
Application of impact tensile testing to welded thin sheets, 27
Initial blank shape
Improvement of initial blank shape for intricate products using slip line field, 21
Injection forging
Research dedicated to the development of advanced metal-forming technologies, 144
An approach for the forming of large-thickness-flange components by injection forging, 153
Injection forging: engineering and research, 189
Injection mold
Injection mold performance of machined ceramic filled epoxy tooling boards, 126
Injection moulding
Residual stress induced by solidification of thermoviscoelastic melts in the postfilling stage, 317
Interactions
EDM machining of carbon–carbon composite—a Taguchi approach, 66
Interface
Processing and characterization of diffusion-bonded Al–Si interfaces, 99
Interstand tension
Effect of interstand tension on roll load, torque and workpiece deformation in the rod rolling process, 7
Inverse Bremsstrahlung absorption
Distribution of the intensity absorbed by the keyhole wall in laser processing, 303
Iron
Preparation of ultrafine polypropylene/iron composite powders through pan-milling, 336

Knowledge-based engineering
A web-based cold forging process generation system, 1

LASER welding
Application of impact tensile testing to welded thin sheets, 27
Laser-heating
FE simulation of laser-aided stamping, 256
Limiting interstand rolling velocity increase ratio
Effect of interstand tension on roll load, torque and workpiece deformation in the rod rolling process, 7

Machining
Injection mold performance of machined ceramic filled epoxy tooling boards, 126
Magnesium alloys
Process optimisation for a squeeze cast magnesium alloy, 134
Main effects
EDM machining of carbon–carbon composite—a Taguchi approach, 66
Material conversion
Injection forging: engineering and research, 189
Material parameters
Determination of material parameters for 7475 Al alloy from bulge forming tests at constant stress, 352
Material removal rate
EDM machining of carbon–carbon composite—a Taguchi approach, 66
Material testing
Evaluation of sheet metal formability by tensile tests, 72
Mechanical properties
Process optimisation for a squeeze cast magnesium alloy, 134
Mesh method
Experimental investigation and theoretical analysis of roll forming of electrical resistance welded pipes, 311
Metal forming
Numerical simulation of the influence of air bending tool geometry on product quality, 269
Finite element modelling of the evolution of surface pits in metal forming processes, 391
Metal forming analysis
Application of a physically based constitutive model to metal forming analysis, 180
Metal hot working
Effect of interstand tension on roll load, torque and workpiece deformation in the rod rolling process, 7
Micro-forming
Research dedicated to the development of advanced metal-forming technologies, 144
FE simulation of laser-aided stamping, 256
Microstructure
Microstructure and performance in diffusion-welded joints of Fe_3Al/Q235 carbon steel, 294
Minerals characterization
Production and characterization of ceramic pieces obtained by slip casting using powder wastes, 14
Multiple reflections
Distribution of the intensity absorbed by the keyhole wall in laser processing, 303

Nanostructure
Preparation of ultrafine polypropylene/iron composite powders through pan-milling, 336
Nett-forging
Research dedicated to the development of advanced metal-forming technologies, 144
Analysis of temperature and component form-error variation with the manufacturing cycle during the forward extrusion of components, 171
Ni/SiC
Electrochemical preparation and characterization of Ni/SiC gradient deposit, 299
Numerical approach
Application of a physically based constitutive model to metal forming analysis, 180

Optical deformation measurement
Evaluation of sheet metal formability by tensile tests, 72
Orthogonal array
EDM machining of carbon–carbon composite—a Taguchi approach, 66

Pan-milling
Preparation of ultrafine polypropylene/iron composite powders through pan-milling, 336
Particle size distribution
Preparation of ultrafine polypropylene/iron composite powders through pan-milling, 336
Phase constitution
Microstructure and performance in diffusion-welded joints of Fe_3Al/Q235 carbon steel, 294

Pits
Finite element modelling of the evolution of surface pits in metal forming processes, 391
PM workpiece
Evaluation of the wear mechanisms and surface parameters when machining internal combustion engine valve seats using PCBN tools, 397
Polycrystalline cubic boron nitride
Evaluation of the wear mechanisms and surface parameters when machining internal combustion engine valve seats using PCBN tools, 397
Polypropylene
Preparation of ultrafine polypropylene/iron composite powders through pan-milling, 336
Postfilling
Residual stress induced by solidification of thermoviscoelastic melts in the postfilling stage, 317
Powder technology
Production and characterization of ceramic pieces obtained by slip casting using powder wastes, 14
Power law
Determination of material parameters for 7475 Al alloy from bulge forming tests at constant stress, 352
Precision-forging
A new approach for the optimisation of the shrink-fitting of cold-forging dies, 215
Preform design
An approach for the forming of large-thickness-flange components by injection forging, 153
Pressure vessels
Using *S–N* curves to analyse cracking due to repeated thermal shock, 118
Process planning
A web-based cold forging process generation system, 1
Pulse-on-time
EDM machining of carbon–carbon composite—a Taguchi approach, 66

Rapid tooling
Injection mold performance of machined ceramic filled epoxy tooling boards, 126
Residual stress
Residual stress induced by solidification of thermoviscoelastic melts in the postfilling stage, 317
Effect of residual stresses on fatigue crack initiation life for butt-welded joints, 325
Resistance foil gage method
Experimental investigation and theoretical analysis of roll forming of electrical resistance welded pipes, 311
Resistance spot welding
Application of impact tensile testing to welded thin sheets, 27
Rod rolling
Effect of interstand tension on roll load, torque and workpiece deformation in the rod rolling process, 7
Roll forming
Experimental investigation and theoretical analysis of roll forming of electrical resistance welded pipes, 311
Roller bearing
FE analysis of a novel roller form: a deep end-cavity roller for roller-type bearings, 233
RSM
Application of response surface methodology in describing the performance of coated carbide tools when turning AISI 1045 steel, 46

SCEA
Application of response surface methodology in describing the performance of coated carbide tools when turning AISI 1045 steel, 46
SFLD
Aspects of automated measurement of proportional and non-proportional deformation in sheet metal forming, 377
Shear strength
Microstructure and performance in diffusion-welded joints of Fe_3Al/Q235 carbon steel, 294
Sheet forming
Design considerations for hydromechanical deep drawing of sheet components with concave features, 163
Aspects of automated measurement of proportional and non-proportional deformation in sheet metal forming, 377
Sheet metal
Evaluation of sheet metal formability by tensile tests, 72
Short time heating
Investigation of strength degradation and strength recovery via short time heating for ground alumina ceramics with different grain size, 276
Side erosion
EDM machining of carbon–carbon composite—a Taguchi approach, 66
Silicon
Processing and characterization of diffusion-bonded Al–Si interfaces, 99
Silicon carbide filled epoxy
Injection mold performance of machined ceramic filled epoxy tooling boards, 126
Slate waste
Production and characterization of ceramic pieces obtained by slip casting using powder wastes, 14
Slip casting
Production and characterization of ceramic pieces obtained by slip casting using powder wastes, 14
Slip line field
Improvement of initial blank shape for intricate products using slip line field, 21
Small radius surface
Viscous pressure forming (VPF) of corrugated thin-walled sheet part with small radius, 345
S–N curves
Using *S–N* curves to analyse cracking due to repeated thermal shock, 118
Sparking current
EDM machining of carbon–carbon composite—a Taguchi approach, 66
Spray forming
A new spray forming technique for the preparation of aluminium rutile (TiO_2) ex situ particle composite, 385
Spring back
Numerical simulation of the influence of air bending tool geometry on product quality, 269
Springback
An experimental study on the examination of springback of sheet metals with several thicknesses and properties in bending dies, 109
Squeeze casting
Process optimisation for a squeeze cast magnesium alloy, 134
Stamping
FE simulation of laser-aided stamping, 256
Strains
Aspects of automated measurement of proportional and non-proportional deformation in sheet metal forming, 377
Strength degradation
Investigation of strength degradation and strength recovery via short time heating for ground alumina ceramics with different grain size, 276
Strength recovery
Investigation of strength degradation and strength recovery via short time heating for ground alumina ceramics with different grain size, 276

Stresses
Aspects of automated measurement of proportional and non-proportional deformation in sheet metal forming, 377
Stretch flanging
Study on the influences of geometrical parameters on the formability of stretch curved flanging by numerical simulation, 93
Superplastic bulge forming
Determination of material parameters for 7475 Al alloy from bulge forming tests at constant stress, 352
Surface
Finite element modelling of the evolution of surface pits in metal forming processes, 391
Surface characterization
A simple fractal analysis method of the surface roughness, 40
Surface engineering
Development of a statistical parameter-based surface model for the simulation of variation of surface roughness with contact pressure, 247
Surface model
Development of a statistical parameter-based surface model for the simulation of variation of surface roughness with contact pressure, 247
Surface roughness
A simple fractal analysis method of the surface roughness, 40
Application of response surface methodology in describing the performance of coated carbide tools when turning AISI 1045 steel, 46
Development of a statistical parameter-based surface model for the simulation of variation of surface roughness with contact pressure, 247

Taguchi method of DOE
Application of Taguchi method in the optimization of end milling parameters, 84
Tangential force
Application of response surface methodology in describing the performance of coated carbide tools when turning AISI 1045 steel, 46
Temperature
Analysis of temperature and component form-error variation with the manufacturing cycle during the forward extrusion of components, 171
Thermal conductivity
A new method of measuring thermal contact conductance, 207
Thermal elasto-plastic analysis
Effect of residual stresses on fatigue crack initiation life for butt-welded joints, 325
Thermal fatigue
Using *S–N* curves to analyse cracking due to repeated thermal shock, 118
Thermal shock
Using *S–N* curves to analyse cracking due to repeated thermal shock, 118
Thin film characterization
Titanium nitride coatings on copper alloy prepared by dc reactive magnetron sputtering, 371
Thin sheets
Application of impact tensile testing to welded thin sheets, 27
TiN coated carbide insert tool
Application of Taguchi method in the optimization of end milling parameters, 84
Titanium nitride
Titanium nitride coatings on copper alloy prepared by dc reactive magnetron sputtering, 371
Tube expansion
Finite element analysis of dual hydroforming processes, 59
Turning
Application of response surface methodology in describing the performance of coated carbide tools when turning AISI 1045 steel, 46

UTS
A new spray forming technique for the preparation of aluminium rutile (TiO_2) ex situ particle composite, 385

Vibration-assisted forging
Research dedicated to the development of advanced metal-forming technologies, 144
Viscoelastic
Residual stress induced by solidification of thermoviscoelastic melts in the postfilling stage, 317
Viscous medium pressure
Viscous pressure forming (VPF) of corrugated thin-walled sheet part with small radius, 345
Viscous pressure forming
Viscous pressure forming (VPF) of corrugated thin-walled sheet part with small radius, 345

Warm forming
Biaxial warm forming behavior of aluminum sheet alloys, 281
Wear mechanisms
Evaluation of the wear mechanisms and surface parameters when machining internal combustion engine valve seats using PCBN tools, 397
Wear resistance
Titanium nitride coatings on copper alloy prepared by dc reactive magnetron sputtering, 371
Web-based technology
A web-based cold forging process generation system, 1